



Australian Bureau of Statistics

CensusAtSchool Australia

Education Services home page > CensusAtSchool home page > Year 10 Resources

Resources



CaSQ 39 – Scatterplots and Pearson's r for C@S Data

You can download this activity and teacher solutions as a rich text file (RTF) using the link at the bottom of the page.

Task:

Bivariate numerical data from a random sample of CensusAtSchool data (Students in Year 5 - 12) was used to generate scatter plots and to consider the strength of any relationships found.

1. Predict whether each relationship is positive or negative and complete the sentences with “increases” or “decreases”.

a) Time taken to get to school v Age “As age increases the time taken to get to school

b) Age v Age “As age increases, age

c) Time spent watching TV v Age “As age increases the time spent watching TV

d) Hours of homework completed per week v Belly-button height “As belly button height increases the amount of homework completed

e) Age v Birth year “As birth year increases a person’s age

f) Time taken to complete the questionnaire v Age “As age increases the time taken to complete the questionnaire

g) Arm span v Height “As height increases, arm span

h) Year level v Year of birth “As year of birth increases, a person’s year level

- i) Foot length v Belly button height “As belly button height increases, foot length
- j) Length of foot v Year of birth “As year of birth increases, foot length


2. Write the letter of each sentence above into the table below and so predict Pearson's r.


Perfect positive 1	Perfect negative -1
Strong positive 0.75 > 1	Strong negative -0.75 < -0.50
Moderate positive 0.50 > 0.75	Moderate negative -0.75 < -0.50
Weak positive 0.25 > 0.50	Weak negative -0.5 < -0.25
Almost no positive relationship 0 > 0.25	Almost no negative relationship -0.25 < 0

3. Each of the following graphs represents one of the above relationships.

- Match each graph with the appropriate sentence.
- Use the equation to write a sentence in terms of the variables.
- Explain the significance of the gradient and the y intercept.

E.g. Foot length = 0.65 x year level + 19 cm
m = 0.65 For each increase of 1 in year level, foot length increases by 0.65 cm.
c = 19 When a person is in 0 year level (i.e. kindergarten age) their foot length is 19 cm.





Download the full activity:

RTF

Download the solution:

RTF

[Back to top](#)

This page last updated 15 November 2013

© Commonwealth of Australia 2008



Unless otherwise noted, content on this website is licensed under a Creative Commons Attribution 2.5 Australia Licence together with any terms, conditions and exclusions as set out in the website Copyright notice. For permission to do anything beyond the scope of this licence and copyright terms contact us.